AF/ 1623





In re Patent Application of

REINER et al

Atty. Ref.: 622-39

Serial No. 09/524,747

Group: 1623

Filed: March 15, 2000

Examiner: Howard V. Owens, Jr.

For: PHARMACEUTICAL COMPOSITIONS BASED ON DICLOFENAC

RECEIVED

November 3, 2003

NOV 0 6 2003

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

TECH CENTER 1600/2900

Sir:

INFORMATION DISCLOSURE STATEMENT

Attached is a completed Form PTO-1449 listing references in connection with this application. Also enclosed is a copy of each of those references.

The Examiner is requested to initial the attached PTO-1449, and to return a copy of the initialed document to the undersigned as an indication that the listed references have been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

orard C. Mitchard

Reg. No. 29,009

LCM:lfm

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

Sheet 1 '	of 2							
INFORMATION DISCLOSURE CITATION		ATTY, DOCKET NO.		SERIAL NO.				
		622-39		09/524,747				
		APPLIC		3773 2 1,717				
							į.	
(Use severa sheets if necessary)			NER et al					
		FILING DATE		GROUP				
	MON 0 3 5003 E3	Marc	th 15, 2000	1623				
	The state of the s	ι	J.S. PATENT DOCUMENTS			EU INO	DATE	
*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCIVISS	FILING		
					1111	עו <u>ש</u> י		
					NOV	0 0 0	200	
					NUV	0 6 20	JU 3	
					TEOLLOGI			
					TECH CEN	H EK 16	00/290	
		FOR	REIGN PATENT DOCUMENTS		J			
	·	101	TEIGHT ATENT BOOGHENTO			TRANS	LATION	
	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO	
6	0 466 650 A2	01/1992	EP					
						,		
	071155 5001	11.5150 (
			ncluding Author, Title, Date, Pertir of gastrointestinal complications with in			nflamma	toru	
					eroidar anti-i	ilitaililla	tor y	
		gs: results of a collaborative meta-analysis"; BMJ; Vol. 312, pp. 1563-1566, (1996). lker, A.M.; "Quantitative studies of the risk of serious heptatic injury in persons using nonsteroidal antiinflammatory						
			ol. 40, No. 2, pp. 201-208 (1997).					
	Gutthann, S.P., et al; "Nonsteroidal anti-inflammatory drugs and the risk of hospitalization for acute renal failure"; Arch.							
	Intern. Med., Vol. 156, p		oasis for a biopharmaceutic drug classific	cation: The cor	relation of in	vitro dru	α	
			vailability"; Pharm. Research, Vol. 12, N			viiro uru	g	
			esium hydroxide on the oral absorption			l diclofer	nac"; Br	
	J. Clin. Pharmac. Vol. 3	1, pp. 263-2	66, (1991).					
	Neuvonen, P.J., et al; "Enhancement of drug absorption by antacids"; Clin. Pharmacokinet. 27 (2): pp. 120-128, (1994).							
	Neuvonen, P.J., et al; "Effect of magnesium hydroxide on the absorption of tolfenamic and mefenamic acids"; Eur. J.							
	Clin. Pharmacol, 35: pp. Derendorf H., et al: "Ph		tics of diclofenac sodium after intramuso	cular administra	ation in comb	ination v	/ith	
			Pharmacol, 31:363-365 (1986).	zarar adınımıştır	ttion in como	macion v	V 1(11	
11	Terhaag, B., et al; "Bioa		f a new effervescent tablet of diclofenac	"; Int. J. Clin. F	Pharmacol. Tl	ner., 38:5	46:551	
	(2000).	-6:b	and instinct of fact values and dislators	a im haalthu ual		ion to		
			acokinetics of fast release oral diclofena tal pain model"; Pharmaceutical Researc					
			of Diclofenac after oral administration of				d	
	formulations"; Arzneim							
		-	on rate of diclofenac from fast acting fo	rmulations con	taining its po	tassium s	alt";	
	Arzneim. Forsch., 51:88		.). acocinetique du piroxicam chez I'homme	cain". Therani	e Vol 38 p	163-17	<u>'0</u>	
	(1983).							
			dium: A review of its pharmacological p Drugs, 20: pp. 24-48, (1980).	properties and the	herapeutic us	e in rheu	matic	

*Examiner Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include

peaks"; Int. J. Clin Pharmacol. Ther., 33:333-339 (1995).

copy of this form with next communication to application.

17 Macia, M.A., et al; "Comparative bioavailability of a dispersible formulation of diclofenac and finding of double plasma

Sheet 2 ³ of 2		
INFORMATION DISCLOSURE	ATTY. DOCKET NO.	SERIAL NO.
CITATION	622-39	09/524,747
	APPLICANT	
	REINER et al	
(Use several meets if necessary)	FILING DATE	GROUP
NOV. O. O. COCC.	March 15, 2000	1623
WV 0 3 2003		
	force development as a result of tences 10 (4) pp. 335-339, (2000)	f hydrate formation in diclofenac sodium or nitrofurantoin
19 Henrikson, P.A., et al; "Ab Ther. Res., 31:30-26 (1982)		e sodium after surgical removal of a ower wisdom tooth; Curr.
20 Degen, P.H., et al; "Pharm		ve metabolites after single doses in healthy volunteers and after 988).
Eur. J. Clin. Pharmacol., 38	8:207-208 (1990).	nac hydroxyethylpyrrolidine vs diclofenac sodium in man";
	mparative bioavailability of two in. Pharmacol. Thr., 32:131-135	suspension formulations of potassium diclofenac in healthy (1994).
23 Crook, P.R., et al; "The ph. Pharmacol., 21:331-334 (1		dium in patients with active rheumatoid disease"; Eur. J. Clin.
	armacokinetics of diclofenac sod	lium following intravenous and oral administration"; Eur. J.
	luence of food on the absorption	of diclofenac after single and multiple oral doses"; Eur. J.
26 Riess, W., et al; "Pharmaco 22:17-29 (1978).	okinetics and metabolism of the	anti-inflammatory agent Voltaen" Scand. J. Reumatol., Suppl.
27 Physicians' Desk Reference	e; Novartis Pharmaceutical Corp	o., pp. 1830-1832 (2000).
		RECEIVED
		NOV 0 6 2003
		TECH CENTER 1600/290

*Examiner	Date Considered	